

**SAFETY DATA SHEET****Loxeal 55-03****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name** Loxeal 55-03

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Adhesive. Sealant.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Loxeal s.r.l.  
Via Marconato 2  
Cesano Maderno  
20811 (MB)  
Italia  
Tel: +39 0362 529 301  
Fax +39 0362 524 225  
info@loxeal.com

**1.4. Emergency telephone number**

**National emergency telephone number** CHEMTREC UK: +(44)-870-8200418  
CHEMTREC US: 800-424-9300  
CHEMTREC Australia: +(61)-290372994  
CHEMTREC New Zealand: +(64)-98010034

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

**Physical hazards** Not Classified  
**Health hazards** Not Classified  
**Environmental hazards** Not Classified

**2.2. Label elements**

**Hazard statements** EUH208 Contains tert-AMYL HYDROPEROXIDE. May produce an allergic reaction.  
**Supplemental label information** EUH210 Safety data sheet available on request.

**2.3. Other hazards**

None under normal conditions.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Loxeal 55-03**

<b>tert-AMYL HYDROPEROXIDE</b>			<b>&lt;1%</b>
CAS number: 3425-61-4	EC number: 222-321-7	REACH registration number: 01-2119964027-36-XXXX	
<b>Classification</b> Flam. Liq. 3 - H226 Org. Perox. A - H240 Acute Tox. 4 - H302 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411			

The full text for all hazard statements is displayed in Section 16.

**Composition comments** No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Never give anything by mouth to an unconscious person. Get medical attention.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Remove contaminated clothing. If symptoms develop, obtain medical attention
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

##### 4.2. Most important symptoms and effects, both acute and delayed

<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	May cause temporary eye irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations. Treat symptomatically.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Foam, carbon dioxide or dry powder.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

##### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds. Burning produces irritating, toxic and obnoxious fumes.

##### 5.3. Advice for firefighters

## Loxeal 55-03

**Special protective equipment for firefighters** Wear self contained breathing apparatus and protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for disposal.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

#### tert-AMYL HYDROPEROXIDE (CAS: 3425-61-4)

**DNEL** Workers - Inhalation; Long term systemic effects: 0.78 mg/m<sup>3</sup>  
Workers - Dermal; Long term systemic effects: 0.44 mg/kg

**PNEC**

- Fresh water; 0.012 mg/l
- marine water; 0.0012 mg/l
- Intermittent release; 0.012 mg/l
- STP; 3.3 mg/l
- Sediment (Freshwater); 0.4374 mg/kg
- Sediment (Marinewater); 0.0437 mg/kg
- Soil; 0.0804 mg/kg

#### 8.2. Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Normal (mechanical) room ventilation should be adequate for small volumes. For higher volume activities, or if needed for worker comfort, local mechanical exhaust should be provided.

## Loxeal 55-03

<b>Eye/face protection</b>	Use approved safety goggles or face shield. Personal eye protection should conform to EN 166
<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn. Gloves should conform to EN 374. For exposure up to 4 hours, wear gloves made of the following material: Nitrile rubber. Thickness: $\geq 0.4$ mm The selected gloves should have a breakthrough time of at least 0.5 hours. For exposure up to 8 hours, wear gloves made of the following material: Nitrile rubber. Thickness: $\geq 0.4$ mm The selected gloves should have a breakthrough time of at least 8 hours. The breakthrough time for any glove material may be different for different glove manufacturers. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.
<b>Other skin and body protection</b>	Uniforms, coveralls, or a lab coat should be worn
<b>Hygiene measures</b>	Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Wash promptly if skin becomes contaminated. Use of good industrial hygiene practices is required.
<b>Respiratory protection</b>	Respiratory protection not required.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Blue.
<b>Odour threshold</b>	Not determined.
<b>pH</b>	Not relevant.
<b>Melting point</b>	Not available.
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	$>100^{\circ}\text{C}$
<b>Evaporation rate</b>	Not determined.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	1.1
<b>Solubility(ies)</b>	Insoluble in water. Soluble in the following materials: Organic solvents.
<b>Partition coefficient</b>	Not determined.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	$\approx 2250$ mPa s @ $25^{\circ}\text{C}$
<b>Explosive properties</b>	Not determined.
<b>Oxidising properties</b>	Not applicable.

#### 9.2. Other information

<b>Other information</b>	Not relevant.
--------------------------	---------------

## Loxeal 55-03

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** The following materials may react with the product: Strong oxidising agents.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

#### 10.5. Incompatible materials

**Materials to avoid** Strong acids. Strong alkalis. Strong oxidising agents. Strong reducing agents.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale.

#### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

#### **Inhalation**

Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.

#### **Ingestion**

No harmful effects expected from quantities likely to be ingested by accident.

#### **Skin contact**

Repeated exposure may cause skin dryness or cracking.

#### **Eye contact**

May cause temporary eye irritation.

#### Toxicological information on ingredients.

#### tert-AMYL HYDROPEROXIDE

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub>)** 582.0  
mg/kg)

**Species** Rat

##### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub>)** 446.0  
mg/kg)

**Species** Rat

##### Acute toxicity - inhalation

**Loxeal 55-03**

<b>Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)</b>	2.425
<b>Species</b>	Rat
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Causes burns.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	No information available.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Ames test: Positive.
<b>Genotoxicity - in vivo</b>	No information available.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	No information available.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	- NOAEL 100 mg/kg/day, Oral, Rat P
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	No information available.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	No information available.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	No data available.

**SECTION 12: Ecological information**

**Ecotoxicity** Not regarded as dangerous for the environment.

**12.1. Toxicity**

**Toxicity** No data available.

**Ecological information on ingredients.****tert-AMYL HYDROPEROXIDE****Acute aquatic toxicity**

<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 6.7 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: 1.2 mg/l, Pseudokirchneriella subcapitata
<b>Acute toxicity - microorganisms</b>	EC <sub>50</sub> , 3 hours: 138 mg/l, Activated sludge

**12.2. Persistence and degradability**

## Loxeal 55-03

**Persistence and degradability** No data available.

### Ecological information on ingredients.

#### tert-AMYL HYDROPEROXIDE

**Biodegradation** Water - 0%: 7 days

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not determined.

### 12.4. Mobility in soil

**Mobility** The product is insoluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**General information** Waste disposal should be in accordance with existing Community, National and local regulations Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Waste class** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## **SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

Not applicable.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

## Loxeal 55-03

Not relevant.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
<b>EU legislation</b>	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
<b>Guidance</b>	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Revision date</b>	26/08/2020
<b>Revision</b>	8
<b>Supersedes date</b>	30/05/2018
<b>Hazard statements in full</b>	H226 Flammable liquid and vapour. H240 Heating may cause an explosion. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains tert-AMYL HYDROPEROXIDE. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.