

SAFETY DATA SHEET

PULY CAPUCINO System® YELLOW Cleaner

1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 PRODUCT IDENTIFIER

Trade name: **PULY CAPUCINO® YELLOW Cleaner liquid**

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Integrated Cleaner System (1-2) for Automatic Milk Frother for milk and coffee residue. **PROFESSIONAL USE**
Uses advised against: do not use for purposes other than those indicated

1.3 INFORMATION ON THE SUPPLIER OF THE SAFETY DATA SHEET

ASACHIMICI SNC di Carubelli G. & C. - Via N.Sauro, 24 - 26039 VESCOVATO CR Italy - Tel. +390372830494
Fax. +390372830029

CONTACT DETAILS

e-mail: info@asachimici.com

1.4 EMERGENCY TELEPHONE NUMBER

Poison Control Centre – Ospedale di Niguarda - +39(0)2 66101029 - Poison Control Centre –Roma Policlinico
Gemelli +39(0)6 3054343

2 HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

REGULATION (EC) No. 1272/2008 (CLP)

Not classified

MAIN HARMFUL EFFECTS

When used in normal environments, according to correct usage conditions, the product does not present specific hazards.

2.2 LABEL ELEMENTS

Label compliant with EC Regulation No. 1272/2008

HAZARD PICTOGRAMS

WARNINGS

No warning

HAZARD STATEMENTS

No significant effects or critical hazards have been noted

PRECAUTIONS

(P102 Keep out of the reach of children.)

(P103 Read label before using.)

(P101 Where a doctor's visit is required, bring along the container or label.)

2.3 OTHER HAZARDS

The mixture does not meet PBT/vPvB criteria as per Regulation (EC) 1907/2006, attachment XIII, based upon the information available on components.

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES

Not applicable

3.2 MIXTURES

This product is a mixture of substances. Substances classified as dangerous are listed below together with their concentration, with their symbols/hazard signals and assigned H phrases.

Substances n. CE n. CAS	n. Reg. REACH 1999/45/CE	Content %	Classification UE-CLP CE 1272/2008	Specific concentration limit
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate 223-267-7 3794-83-0	01-2119510382-52-0000	<5%	Acute Tox. 4 H302 Eye Dam. 2 H319	n.a.
Sodium silicate solution	n.a	<5%	n.a.	n.a.

SAFETY DATA SHEET

PULY CAPUCINO System® YELLOW Cleaner

Chemical composition and/or mixture concentration, intellectual property of Asachimici.
The complete H phrase test is documented in section 16.

4 FIRST AID MEASURES

4.1 FIRST AID MEASURES DESCRIPTION

GENERAL MEASURES: where discomfort is experienced, consult a physician. Show the doctor the present safety data sheet.

INHALATION: remove the injured person from the danger zone to a well-ventilated room; if any symptoms of discomfort should occur, seek medical advice.

CONTACT WITH SKIN: rinse the skin immediately using plenty of water and change clothing where necessary. If irritation persists or tissue damage occurs, consult a physician.

CONTACT WITH EYES: remove any contact lenses. Rinse immediately using plenty of water and with eyelids open for at least 10 minutes. Where discomfort persists, immediately consult an ophthalmologist.

INGESTION: Never administer anything orally where the victim is not conscious; rinse the mouth; make sure the person drinks plenty of water; consult a physician.

4.2 MAIN SYMPTOMS, BOTH ACUTE AND DELAYED

See section 11.

4.3 INDICATION OF IMMEDIATE NEED FOR MEDICAL ATTENTION AND SPECIFIC TREATMENTS

See section 4.1.

5 FIRE MEASURES

5.1 EXTINGUISHERS

The product itself does not burn. Use water mist extinguishers, fire-fighting foam, powder, sand, Carbon dioxide (CO₂).

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Possible formation of carbon monoxide, phosphorus oxide, Phosphine

5.3 ADVICE FOR FIRE-FIGHTERS

To protect fire-fighters, suitable breathing protection means must be employed along with suitable protective equipment.

6 ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Intervention personnel must wear suitable personal protective equipment (overalls, gloves, goggles). Personnel not trained to deal with emergency interventions must stay away from the area concerned.

6.2 ENVIRONMENTAL PRECAUTIONS

Comply with water protection standards (collect, control, cover). Do not place the product in the following areas: in surface water or drainage systems. In the instance where a large quantity of the product has leaked or caused contamination, the competent authorities must be informed.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Carefully collect the leaked product (better where aspirated) and using plenty of water, clean the affected area. Comply with current standards when disposing the non-reusable product.

6.4 REFERENCE TO OTHER SECTIONS

Where necessary, see sections 8 and 13.

7 HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Comply with precautions overseeing the handling of chemical products. Adequately ventilate areas; where necessary, use equipment which feature ventilation devices to stop powder filling up the air. Keep away from food and drinks. Avoid knocking and incorrect handling of packages which may cause the product to leak. During handling, ensure surroundings are clean and organised. Wear suitable protective clothing: gloves and goggles (see section 8).

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

SAFETY DATA SHEET

PULY CAPUCINO System® YELLOW Cleaner

The product must be stored in areas with alkali-resistant flooring, which are covered, dry, cool and ventilated. Keep the product away from heat sources, central heating (temperature must not be below 0°C) and it must be shielded from the sun's rays. Keep packages securely closed after use and away from acidic products (see sections 10 and 14). There will be no decomposition where stored and used as indicated.

7.3 SPECIFIC END USERS

No specific recommendations available

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure threshold limit value: as there is no test data available on the component used in terms of professional exposure, we must consider the concentrations of the substances forming part of the preparation (see section 3) in order to assign an estimated value based upon and relative to individual characteristics and toxicological classifications.

Derived level without DNEL effects

Substances	Long term Oral Workers	Long term Inhalation Workers	Acute Dermal Consumer	Long term Inhalation Consumer	Long term Ingestion Consumer
Tetrasodium dihydrogen (1-hydroxyethylidene)bis phosphonate	13 mg/Kg bw/day	n.a.	n.a.	n.a.	6,5 mg/Kg bw/day
Sodium silicate solution	n.a.	5,61 mg/m ³	n.a.	1,38 mg/m ³	0,8 mg/Kg bw/day

Concentrazione prevedibile priva di effetti PNEC

Substances	Fresh Water	Sea Water	Depuration Plant
Tetrasodium dihydrogen (1-hydroxyethylidene)bis phosphonate	136 mg/l	5,9 mg/Kg wwt	20 mg/l
Sodium silicate solution	7,5 mg/l	1 mg/Kg wwt	348 mg/l

8.2 EXPOSURE CONTROLS

- RESPIRATORY PROTECTION: avoid inhaling powder. Use a dust mask in the presence of powder.
- HAND PROTECTION: use rubber gloves (PVC, etc.).
- EYE PROTECTION: avoid contact with eyes. Use protective, airtight goggles.
- SKIN PROTECTION: employ clothing which prevents direct contact with the skin.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE: liquid Yellow
- ODOUR: odourless
- pH: (solution 1% in water) 10 ± 0.5
- MELTING POINT/FREEZING POINT: n.a.
- INITIAL BOILING POINT AND BOILING INTERVAL: n.a.
- FLAMMABILITY POINT: n.a.
- EVAPORATION RATE: n.a.
- FLAMMABILITY (SOLIDS, GAS): n.a.
- MAXIMUM/MINIMUM FLAMMABILITY LIMIT OR EXPLOSIVITY: n.a.
- VAPOUR PRESSURE: n.a.
- VAPOUR DENSITY: n.a.
- RELATIVE DENSITY: n.a. (apparent density approx. 1.25 g/ml)
- SOLUBILITY: rapidly soluble in water in all proportions.
- N-OCTANOL/WATER PARTITION: n.a.
- AUTOIGNITION TEMPERATURE: n.a.
- DECOMPOSITION TEMPERATURE: n.a.
- VISCOSITY: n.a.

SAFETY DATA SHEET

PULY CAPUCINO System® YELLOW Cleaner

-EXPLOSIVE PROPERTIES: n.a.

-OXIDISING PROPERTIES: n.a.

9.2 OTHER INFORMATION

-No data available

10 STABILITY AND REACTIVITY

10.1 REACTIVITY

Avoid releasing the product in the environment and it is good practice to never mix substances and/or chemical preparations.

10.2 CHEMICAL STABILITY

The product is stable under recommended storage and handling conditions (see section 7).

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

The alkaline content of the product reacts with acids (chemical reaction) and with substances which generate acids.

10.4 CONDITIONS TO AVOID

Avoid splash formation, heat sources and humidity.

10.5 INCOMPATIBLE MATERIALS

Avoid contact with strong acids.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

The release of toxic vapours resulting from a fire or high temperatures may present risks.

11 TOXICOLOGICAL INFORMATION

As there is no test data available on the component, we must consider the concentrations of the substances forming part of the preparation (see section 3) in order to assess the toxicological effects arising from product exposure.

Substances	LD50 oral	LD50 skin	LC50 inhalation
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	940 mg/Kg	>2000 mg/Kg	n.d.
Sodium silicate solution	3400 mg/Kg	>5000 mg/Kg	2,6 g/m3

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

-Acute toxicity, irritation and corrosiveness: according to our experience, the product is not deemed dangerous and in standard handling conditions, it does not present significant effects or critical hazards.

-Sensitization: n.a.

Substances	Exposition way	Species	Results
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	Skin	n.d.	n.d.
Sodium silicate solution	n.a.	n.a.	n.a.

-Toxicity upon repeated doses: n.a.

-Carcinogenicity: n.a.

-Mutagenicity: n.a.

Substances	Test	Experiment	Result
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	471 Bacterial Reverse Mutation Test	In vitro; Bacteria	Negative
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	476 In vitro Mammalian Cell Gene Mutation Test	In vitro: Mammal Animal	Negative
Sodium silicate solution	n.a.	n.a.	n.a.

-Toxicity upon reproduction: n.a.

12 ECOLOGICAL INFORMATION

12.1 TOXICITY

SAFETY DATA SHEET

PULY CAPUCINO System® YELLOW Cleaner

Use the preparation as per the methods and for the objectives specified. Use according to good working practices, avoiding disposal in the environment. Do not dispose in surface water or drainage systems. Do not dispose in the ground. As there is no ecotoxicology data available on this mixture, we refer to the toxicology information relative to the main substances in the mixture itself, described in section 3.

12.2 PERSISTENCE AND DEGRADABILITY

The surfactants in the product comply with biodegradability criteria established with EC REGULATION (EC) No. 648/2004 relative to detergents.

12.3 POTENTIAL FOR BIOACCUMULATION

N.D.

12.4 MOBILITY IN SOIL

N.D.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT

The mixture, based upon the information available does not meet PBT and vPvB criteria.

12.6 OTHER ADVERSE EFFECTS

No adverse effects have been identified.

13 DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

When handling, comply with the protective precautions established (see sections 6, 7, 8).

Recover if possible. Small product quantities may be disposed of subject to suitable dilution in water, in sewage water purification systems, or may be overseen by specialist companies dealing with specialist refuse and/or industrial waste disposal, as authorised by designated authorities. Operate according to local and national regulations. Clear packages before disposing or recycling them in compliance with legislation in force overseeing such.

14 TRANSPORT INFORMATION

Different types of bags or drums may be used for packaging and transportation however they must always be made of polyethylene. Packages must always be correctly sealed to prevent deterioration and compression. During transportation, the correctly loaded packages, must be protected from the sun's rays and heat (keep cool as much as possible). When transporting, take care to protect the packages from the rain and bad weather (keep dry as much as possible). In the case of accidental loss, refer to the precautionary instructions described in section 6.

The product is not considered hazardous merchandise for both national and international transportation via roadways, railway, by sea and by air.

15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS AND LEGISLATION SPECIFIC TO THE MIXTURE

Directive 67/548/EEC (Classification, Packaging, and Labelling of dangerous substances) and subsequent amendments;

Directive 99/45/EC (Classification, Packaging and Labelling of Dangerous Preparations) and subsequent amendments;

Regulation no. 1907/2006/EC (REACH);

Regulation no. 1272/2008/EC (CLP);

Regulation no. 790/2009/EC (amending, for the purposes of adaptation to technical and scientific progress, Regulation ATP no. 1272/2008/EC).

Legislative Decree 81/2008 (Consolidated Law on the protection of health and safety in the workplace) and subsequent amendments and Directive 2009/161/EU;

Regulation 648/2004/EC overseeing detergents and subsequent modifications;

Regulation 453/2010 (EU); standard overseeing the transportation of hazardous merchandise on road/railway: ADR/RID Agreement.

15.2 CHEMICAL SAFETY ASSESSMENT

A chemical safety assessment has not been completed on the mixture.

16 OTHER INFORMATION

H -Phrase text - quoted in section 3 of the data sheet on individual components:

-H302 Harmful if swallowed.

SAFETY DATA SHEET

PULY CAPUCINO System® YELLOW Cleaner

-H319 Cause serious eye irritation.

It is the responsibility of the user to take all the measures necessary to ensure compliance with local, national and EU standards.

Personnel medical checks: preventive and periodic personnel medical checks are a legal requirement.

The data provided is based on our knowledge up to the present day and is not considered to be exhaustive or binding. It is applicable to the product as per and in compliance with specifications. Our Company will not assume any legal responsibility arising from the use of such information or reliance upon the aforementioned. In no cases, will such information excuse the user from complying with all legislative, administrative and regulatory standards governing the product, in addition to health and safety standards in the workplace. Despite the information provided, such information being up-to-date at the time of the latest revision, we suggest users ensure the suitability and completeness of the aforementioned, primarily in relation to the specific use envisaged for the product in question. The application, use and modification of the preparation fall under the exclusive responsibility of the client. Read instructions and labels attached to packages before using.

The information described with this present data sheet complies with that prescribed by standards in force governing the hazardous substances described in section 15.

Owing to the numerous modifications, hence the reason for this revision, individual information which has been added, deleted or modified, has not been highlighted; this present data sheet entirely nullifies and replaces all previous versions.

SAFETY DATA SHEET

PULY CAPUCINO System® AZURE RINSE

1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 PRODUCT IDENTIFIER

Trade name: **PULY CAPUCINO HYGIENIC RINSE® liquid (AZURE)**

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Integrated Rinse Hygienic System For Automatic Milk Frother.

Tested and certified by LAC srl - Test Report MV170110-03 TER

Uses advised against: do not use for purposes other than those indicated

1.3 INFORMATION ON THE SUPPLIER OF THE SAFETY DATA SHEET

ASACHIMICI SNC di Carubelli G. & C. - Via N.Sauro, 24 - 26039 VESCOVATO CR Italy - Tel. +390372830494
Fax. +390372830029

CONTACT DETAILS

e-mail: info@asachimici.com

1.4 EMERGENCY TELEPHONE NUMBER

Poison Control Centre – Ospedale di Niguarda - +39(0)2 66101029 - Poison Control Centre –Roma Policlinico Gemelli +39(0)6 3054343

2 HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

REGULATION (EC) No. 1272/2008 (CLP)

Not classified

MAIN HARMFUL EFFECTS

When used in normal environments, according to correct usage conditions, the product does not present specific hazards.

2.2 LABEL ELEMENTS

Label compliant with EC Regulation No. 1272/2008

HAZARD PICTOGRAMS

WARNINGS

No warning

HAZARD STATEMENTS

No significant effects or critical hazards have been noted

PRECAUTIONS

(P102 Keep out of the reach of children.)

(P103 Read label before using.)

(P101 Where a doctor's visit is required, bring along the container or label.)

2.3 OTHER HAZARDS

The mixture does not meet PBT/vPvB criteria as per Regulation (EC) 1907/2006, attachment XIII, based upon the information available on components.

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES

Not applicable

3.2 MIXTURES

This product is a mixture of substances. Substances classified as dangerous are listed below together with their concentration, with their symbols/hazard signals and assigned H phrases.

Substances n. CE n. CAS	n. Reg. REACH 1999/45/CE	Content %	Classification UE-CLP CE 1272/2008	Specific concentration limits
Citric Acid 201-069-1 5949-29-1	01-2119457026-42	1-5%	Eye Irrit. 2 H319	n.d.
ethanol + propan-2-ol 902-053-3 641-705	01-2119529230-52	<5%	Eye Irrit. 2 H319 Flam. Liq. 2 H225 STOT SE 3 H336	n.d.

SAFETY DATA SHEET

PULY CAPUCINO System® AZURE RINSE

1-Hydroxyethylidene-1,1-diphosphonic acid 220-522-8 2809-21-4	01-2119510391-53-0000	<1%	Met. Corr. 1 H290 Eye Dam. 1 H318	n.d.
Amphoteric surfactant 263-058-8 61789-40-0	01-2119488533-30-0007	1-2%	Eye dam.1 H318	n.d.

Chemical composition and/or mixture concentration, intellectual property of Asachimici. (patent pending)
 The complete H phrase test is documented in section 16.

4 FIRST AID MEASURES

4.1 FIRST AID MEASURES DESCRIPTION

GENERAL MEASURES: where discomfort is experienced, consult a physician. Show the doctor the present safety data sheet.

INHALATION: remove the injured person from the danger zone to a well-ventilated room; if any symptoms of discomfort should occur, seek medical advice.

CONTACT WITH SKIN: rinse the skin immediately using plenty of water and change clothing where necessary. If irritation persists or tissue damage occurs, consult a physician.

CONTACT WITH EYES: remove any contact lenses. Rinse immediately using plenty of water and with eyelids open for at least 10 minutes. Where discomfort persists, immediately consult an ophthalmologist.

INGESTION: Never administer anything orally where the victim is not conscious; rinse the mouth; make sure the person drinks plenty of water; consult a physician.

4.2 MAIN SYMPTOMS, BOTH ACUTE AND DELAYED

See section 11.

4.3 INDICATION OF IMMEDIATE NEED FOR MEDICAL ATTENTION AND SPECIFIC TREATMENTS

See section 4.1.

5 FIRE MEASURES

5.1 EXTINGUISHERS

The product itself does not burn. Use water mist extinguishers, fire-fighting foam, powder, sand, Carbon dioxide (CO2).

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Possible formation of carbon monoxide, phosphorus oxide, Phosphine

5.3 ADVICE FOR FIRE-FIGHTERS

To protect fire-fighters, suitable breathing protection means must be employed along with suitable protective equipment.

6 ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Intervention personnel must wear suitable personal protective equipment (overalls, gloves, goggles). Personnel not trained to deal with emergency interventions must stay away from the area concerned.

6.2 ENVIRONMENTAL PRECAUTIONS

Comply with water protection standards (collect, control, cover). Do not place the product in the following areas: in surface water or drainage systems. In the instance where a large quantity of the product has leaked or caused contamination, the competent authorities must be informed.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Carefully collect the leaked product (better where aspirated) and using plenty of water, clean the affected area. Comply with current standards when disposing the non-reusable product.

6.4 REFERENCE TO OTHER SECTIONS

Where necessary, see sections 8 and 13.

7 HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

SAFETY DATA SHEET

PULY CAPUCINO System® AZURE RINSE

Comply with precautions overseeing the handling of chemical products. Adequately ventilate areas; where necessary, use equipment which feature ventilation devices to stop powder filling up the air. Keep away from food and drinks. Avoid knocking and incorrect handling of packages which may cause the product to leak. During handling, ensure surroundings are clean and organised. Wear suitable protective clothing: gloves and goggles (see section 8).

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

The product must be stored in areas with alkali-resistant flooring, which are covered, dry, cool and ventilated. Keep the product away from heat sources, central heating (temperature must not be below 0°C) and it must be shielded from the sun's rays. Keep packages securely closed after use and away from acidic products (see sections 10 and 14). There will be no decomposition where stored and used as indicated.

7.3 SPECIFIC END USERS

No specific recommendations available

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure threshold limit value: as there is no test data available on the component used in terms of professional exposure, we must consider the concentrations of the substances forming part of the preparation (see section 3) in order to assign an estimated value based upon and relative to individual characteristics and toxicological classifications.

Derived level without DNEL effects

Substances	Long term Oral Workers	Long term Inhalation Workers	Acute Dermal Consumer	Long term Inhalation Consumer	Long term Ingestion Consumer
Tetrasodium dihydrogen (1-hydroxyethylidene)bis phosphonate	13 mg/Kg bw/day	n.a.	n.a.	n.a.	6,5 mg/Kg bw/day

Concentrazione prevedibile priva di effetti PNEC

Substances	Fresh Water	Sea Water	Depuration Plant
Tetrasodium dihydrogen (1-hydroxyethylidene)bis phosphonate	136 mg/l	5,9 mg/Kg wwt	20mg/l

8.2 EXPOSURE CONTROLS

- RESPIRATORY PROTECTION: avoid inhaling powder. Use a dust mask in the presence of powder.
- HAND PROTECTION: use rubber gloves (PVC, etc.).
- EYE PROTECTION: avoid contact with eyes. Use protective, airtight goggles.
- SKIN PROTECTION: employ clothing which prevents direct contact with the skin.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE: liquid azure
- ODOUR: odourless
- pH: (solution 0,2% in water) 5,5 ± 0.5
- MELTING POINT/FREEZING POINT: n.d.
- INITIAL BOILING POINT AND BOILING INTERVAL: n.d.
- FLAMMABILITY POINT: n.d.
- EVAPORATION RATE: n.d.
- FLAMMABILITY (SOLIDS, GAS): n.a.
- MAXIMUM/MINIMUM FLAMMABILITY LIMIT OR EXPLOSIVITY: n.a.
- VAPOUR PRESSURE: n.d.
- VAPOUR DENSITY: n.d.
- RELATIVE DENSITY: n.d. (apparent density approx. 1.25 g/ml)
- SOLUBILITY: rapidly soluble in water in all proportions.
- N-OCTANOL/WATER PARTITION: n.d.
- AUTOIGNITION TEMPERATURE: n.d.

SAFETY DATA SHEET

PULY CAPUCINO System® AZURE RINSE

- DECOMPOSITION TEMPERATURE: n.d.
- VISCOSITY: n.a.
- EXPLOSIVE PROPERTIES: n.a.
- OXIDISING PROPERTIES: n.d.

9.2 OTHER INFORMATION

-No data available

10 STABILITY AND REACTIVITY

10.1 REACTIVITY

Avoid releasing the product in the environment and it is good practice to never mix substances and/or chemical preparations.

10.2 CHEMICAL STABILITY

The product is stable under recommended storage and handling conditions (see section 7).

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

The alkaline content of the product reacts with acids (chemical reaction) and with substances which generate acids.

10.4 CONDITIONS TO AVOID

Avoid splash formation, heat sources and humidity.

10.5 INCOMPATIBLE MATERIALS

Avoid contact with strong acids.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

The release of toxic vapours resulting from a fire or high temperatures may present risks.

11 TOXICOLOGICAL INFORMATION

As there is no test data available on the component, we must consider the concentrations of the substances forming part of the preparation (see section 3) in order to assess the toxicological effects arising from product exposure.

Substances	LD50 oral	LD50 skin	LC50 inhalation
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	940mg/Kg	>2000 mg/Kg	n.d.

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

-Acute toxicity, irritation and corrosiveness: according to our experience, the product is not deemed dangerous and in standard handling conditions, it does not present significant effects or critical hazards.

-Sensitization: n.a.

Substances	Exposition way	Species	Results
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	Skin	n.d.	n.d.

-Toxicity upon repeated doses: n.a.

-Carcinogenicity: n.a.

-Mutagenicity: n.a.

Substances	Test	Experiment	Result
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	471 Bacterial Reverse Mutation Test	In vitro; Bacteria	Negative
Tetrasodium dihydrogen (1-hydroxyethylidene)bisphosphate	476 In vitro Mammalian Cell Gene Mutation Test	In vitro: Mammal Animal	Negative

-Toxicity upon reproduction: n.a.

12 ECOLOGICAL INFORMATION

12.1 TOXICITY

Use the preparation as per the methods and for the objectives specified. Use according to good working practices, avoiding disposal in the environment. Do not dispose in surface water or drainage systems. Do not dispose in the Puly_CAPUCINO HYGIENIC RINSE_liquido_EN_20180129

SAFETY DATA SHEET

PULY CAPUCINO System® AZURE RINSE

ground. As there is no ecotoxicology data available on this mixture, we refer to the toxicology information relative to the main substances in the mixture itself, described in section 3.

12.2 PERSISTENCE AND DEGRADABILITY

The surfactants in the product comply with biodegradability criteria established with EC REGULATION (EC) No. 648/2004 relative to detergents.

12.3 POTENTIAL FOR BIOACCUMULATION

N.D.

12.4 MOBILITY IN SOIL

N.D.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT

The mixture, based upon the information available does not meet PBT and vPvB criteria.

12.6 OTHER ADVERSE EFFECTS

No adverse effects have been identified.

13 DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

When handling, comply with the protective precautions established (see sections 6, 7, 8).

Recover if possible. Small product quantities may be disposed of subject to suitable dilution in water, in sewage water purification systems, or may be overseen by specialist companies dealing with specialist refuse and/or industrial waste disposal, as authorised by designated authorities. Operate according to local and national regulations. Clear packages before disposing or recycling them in compliance with legislation in force overseeing such.

14 TRANSPORT INFORMATION

Different types of bags or drums may be used for packaging and transportation however they must always be made of polyethylene. Packages must always be correctly sealed to prevent deterioration and compression. During transportation, the correctly loaded packages, must be protected from the sun's rays and heat (keep cool as much as possible). When transporting, take care to protect the packages from the rain and bad weather (keep dry as much as possible). In the case of accidental loss, refer to the precautionary instructions described in section 6.

The product is not considered hazardous merchandise for both national and international transportation via roadways, railway, by sea and by air.

15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS AND LEGISLATION SPECIFIC TO THE MIXTURE

Directive 67/548/EEC (Classification, Packaging, and Labelling of dangerous substances) and subsequent amendments;

Directive 99/45/EC (Classification, Packaging and Labelling of Dangerous Preparations) and subsequent amendments;

Regulation no. 1907/2006/EC (REACH);

Regulation no. 1272/2008/EC (CLP);

Regulation no. 790/2009/EC (amending, for the purposes of adaptation to technical and scientific progress, Regulation ATP no. 1272/2008/EC).

Legislative Decree 81/2008 (Consolidated Law on the protection of health and safety in the workplace) and subsequent amendments and Directive 2009/161/EU;

Regulation 648/2004/EC overseeing detergents and subsequent modifications;

Regulation 453/2010 (EU); standard overseeing the transportation of hazardous merchandise on road/railway: ADR/RID Agreement.

15.2 CHEMICAL SAFETY ASSESSMENT

A chemical safety assessment has not been completed on the mixture.

16 OTHER INFORMATION

H -Phrase Test - quoted in section 3 of the data sheet on individual components:

-H302 Harmful if swallowed.

-H314 Cause severe skin burns and eye damage

-H315 Cause skin irritation.

SAFETY DATA SHEET

PULY CAPUCINO System® AZURE RINSE

- H318 Cause serious eye damage.
- H319 Cause serious eye irritation.
- H400 Very toxic for aquatic life
- H401 Very toxic for aquatic life with long lasting effects

It is the responsibility of the user to take all the measures necessary to ensure compliance with local, national and EU standards.

Personnel medical checks: preventive and periodic personnel medical checks are a legal requirement.

The data provided is based on our knowledge up to the present day and is not considered to be exhaustive or binding. It is applicable to the product as per and in compliance with specifications. Our Company will not assume any legal responsibility arising from the use of such information or reliance upon the aforementioned. In no cases, will such information excuse the user from complying with all legislative, administrative and regulatory standards governing the product, in addition to health and safety standards in the workplace. Despite the information provided, such information being up-to-date at the time of the latest revision, we suggest users ensure the suitability and completeness of the aforementioned, primarily in relation to the specific use envisaged for the product in question. The application, use and modification of the preparation fall under the exclusive responsibility of the client. Read instructions and labels attached to packages before using.

The information described with this present data sheet complies with that prescribed by standards in force governing the hazardous substances described in section 15.

Owing to the numerous modifications, hence the reason for this revision, individual information which has been added, deleted or modified, has not been highlighted; this present data sheet entirely nullifies and replaces all previous versions.