

## APPENDIX: EXPOSURE SCENARIOS - N.1-C

### PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINERY)

(ref AISE GEIS.8a .1.a.v1)-

Open transfer of a concentrated product (with or without dilution); the operator is directly exposed to the product.

#### OPERATING CONDITIONS

Maximum duration 50 minutes/day

Process conditions Process takes place at room temperature

In case of dilution, tap water at a maximum temperature of 45 °C.

Provide aeration/ventilation of the room

#### RISK MANAGEMENT MEASURES

Conditions and measures in relation to personal protective equipment (PPE), hygiene and health evaluation Use Gloves, mask, goggles. See section 8 for specifications Ensure adequate training of personnel in relation to use and maintenance



#### GOOD PRACTICE TIPS

Do not eat or drink, do not smoke or use open flames



Wash hands after use



Avoid contact with wounded skin

Do not mix with other products

Spill instructions Dilute with water and collect.

Additional advice Follow the instructions on the label, the technical data sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the undiluted product from reaching surface waters.

## PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in section 2 of the SDS

The classification of the product is based on that of the ingredients. The list of ingredients that contribute to the classification of the product can be found in section 3 of the SDS.

The relevant limit values of the ingredients on which the exposure assessment is based can be found in sec. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some individuals. The section 15 of the SDS reports these sensitizers if applicable to the product.

## USE DESCRIPTORS

SU 22: Professional use

PC 35 :Washing and cleaning product (including solvent-based products)

PROC 8a: Transfer of a substance or preparation (charging/discharging) from/to vessels/large containers, in non-dedicated facilities

ERC 8a: Wide dispersive indoor use of processing aids in open systems

## APPENDIX: EXPOSURE SCENARIOS-N.4 C



**PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1)**

**Using a product in a machine where the cleaner could be exposed to the product/vapors (e.g. Tunnel washing)**







## OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature Local exhaust ventilation (LEV) is not required; generally efficient ventilation in the work place is sufficient

## RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene evaluation	<p>Use Gloves and protective goggles. See sect. 8 for specifications</p>   <p>Staff must be trained appropriately in use and maintenance</p>
---	---

#### GENERAL ADVICE

Do not eat, drink, smoke or use live flames	  
<p>Wash hands after use.</p> <p>Avoid contact with damaged skin</p> <p>Do not mix with other products</p>	  
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water

#### PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS
The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.
The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS
The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

#### USE DESCRIPTORS

SU 22: Professional uses
PC 35: Washing and cleaning products (including solvent-based products)
PROC 2: Use in closed, continuous process with occasional controlled exposure
ERC 8a: Wide dispersive indoor use of processing aids in open systems